Amdt. dated April 25, 2008

Reply to Communication mailed April 18, 2008

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 1-3. (Cancelled)

Claim 4. (Currently Amended) The combination of claim 2A combination comprising:

a partition assembly including intersecting slotted partitions arranged in a matrix,

a container having walls extending upwardly from a bottom, said bottom and said walls of

said container defining an interior of said container;

said partitions being of a length such that said partition assembly may fit in said interior of

said container without bending said partitions;

wherein said partition assembly is held in said interior of said container by at least one hook

and loop fastener and said at least one hook and loop fastener comprises a first component secured

to an inner surface of one of said container walls and a second component secured to one of said

partitions, wherein said second component is adhesively secured to said one of said partitions.

Claim 5. (Currently Amended) The combination of claim 2A combination comprising:

a partition assembly including intersecting slotted partitions arranged in a matrix,

a container having walls extending upwardly from a bottom, said bottom and said walls of

said container defining an interior of said container;

Amdt. dated April 25, 2008

Reply to Communication mailed April 18, 2008

said partitions being of a length such that said partition assembly may fit in said interior of said container without bending said partitions;

wherein said partition assembly is held in said interior of said container by at least one hook and loop fastener and said at least one hook and loop fastener comprises a first component secured to an inner surface of one of said container walls and a second component secured to one of said partitions, wherein said second component of said hook and loop fastener is a piece of fabric adhesively secured to opposite side surfaces of said one of said partitions.

Claim 6. (Currently Amended) The combination of claim [[2]] 5 wherein said second component of said hook and loop fastener functions as a flexible extension of said one of said partitions.

Claim 7. (Currently Amended) The combination of claim [[2]] 5 wherein said second component of said hook and loop fastener has an exterior surface which has a plurality of loops.

Claim 8. (Currently Amended) The combination of claim [[2]] 5 wherein said second component of said hook and loop fastener is a flexible tab.

Claim 9. (Currently Amended) The combination of claim [[1]] 5 wherein said partitions are plastic.

Claim 10-23. (Cancelled)

Amdt. dated April 25, 2008

Reply to Communication mailed April 18, 2008

Claim 24. (Currently Amended) The combination of claim 21 A combination comprising:

a container having walls extending upwardly from a bottom, said bottom and said walls of said container defining an interior of said container;

a partition assembly including slotted partitions arranged in a matrix, said partitions being of a length such that said partition assembly may fit in said interior of said container without bending

said partitions;

wherein said partition assembly is held in said interior of said container by at least one hook and loop fastener comprising a first component secured to an inner surface of one of said container walls and a second flexible component secured to one of said partitions, said second flexible component being adapted to bend both clockwise and counterclockwise relative to said one of said

partitions and wherein said second component is adhesively secured to said one of said partitions.

Claim 25. (Currently Amended) The combination of claim 21 A combination comprising:

a container having walls extending upwardly from a bottom, said bottom and said walls of said container defining an interior of said container;

a partition assembly including slotted partitions arranged in a matrix, said partitions being of a length such that said partition assembly may fit in said interior of said container without bending said partitions:

wherein said partition assembly is held in said interior of said container by at least one hook and loop fastener comprising a first component secured to an inner surface of one of said container

Amdt. dated April 25, 2008

Reply to Communication mailed April 18, 2008

walls and a second flexible component secured to one of said partitions, said second flexible

component being adapted to bend both clockwise and counterclockwise relative to said one of said

partitions and wherein said second component of said hook and loop fastener is a piece of fabric

adhesively secured to opposite side surfaces of said one of said partitions.

Claim 26. (Currently Amended) The combination of claim [[21]] 25 wherein said second

component of said hook and loop fastener functions as a generally planar extension of said one of

said partitions.

Claim 27. (Currently Amended) The combination of claim [[21]] 25 wherein said second

component of said hook and loop fastener has an exterior surface which has a plurality of loops.

Claims 28-29. (Cancelled)

Claim 30. (Currently Amended) The combination of claim A combination comprising:

a container having walls extending upwardly from a bottom, said bottom and side walls

defining an interior of the container;

a partition assembly for dividing the interior of the container, one component of a two part

hook and loop fastener being secured to an inner surface of one of the walls of the container, the

partition assembly comprising:

Application No. 10/629,726 Amdt. dated April 25, 2008

Amai, dated April 25, 2008

Reply to Communication mailed April 18, 2008

a plurality of first and second slotted partitions arranged in a matrix;

one of the slotted partitions having a flexible tab sandwiched around the end thereof,

said flexible tab comprising a second component of the two part hook and loop fastener adapted for

engagement with the first component of the two part hook and loop fastener without bending any of

the partitions, wherein each of said second component of said two part hook and loop fastener has a

removable backing covering an adhesive surface, said adhesive surface adapted to attach to said

ends of said slotted partitions.

Claim 31. (Currently Amended) The combination of claim [[28]] 30 wherein each of said second

component of said two part hook and loop fastener is adapted to planarly extend said partition.

Claim 32. (Currently Amended) The combination of claim 28 A combination comprising:

a container having walls extending upwardly from a bottom, said bottom and side walls

defining an interior of the container;

a partition assembly for dividing the interior of the container, one component of a two part

hook and loop fastener being secured to an inner surface of one of the walls of the container, the

partition assembly comprising;

a plurality of first and second slotted partitions arranged in a matrix;

one of the slotted partitions having a flexible tab sandwiched around the end thereof,

said flexible tab comprising a second component of the two part hook and loop fastener adapted for

Amdt. dated April 25, 2008

Reply to Communication mailed April 18, 2008

engagement with the first component of the two part hook and loop fastener without bending any of

the partitions, wherein said one component of a two part hook and loop fastener has a removable

backing covering an adhesive surface, said adhesive surface being secured to an inner surface of one

of said walls of said container.

Claim 33. (Cancelled)

Claim 34. (New) The combination of claim 4 wherein said second component of said hook and

loop fastener functions as a flexible extension of said one of said partitions.

Claim 35. (New) The combination of claim 4 wherein said second component of said hook and

loop fastener has an exterior surface which has a plurality of loops.

Claim 36. (New) The combination of claim 4 wherein said second component of said hook and loop

fastener is a flexible tab

Claim 37. (New) The combination of claim 4 wherein said partitions are plastic.